

UV LIGHT



Parameters:

LED CHIP	Seoul 5W(CUN66A1G)
WAVELENGTH	365NM
UV INTENSITY	20000 Microwatt/Cm Square
LENS	Inbuild
BATTERY POWER	1X18650
MODEL	SKT-UV-5
COVERING AREA	8 inch at 15inch Height
LED POWER	5W
INPUT VOLTAGE	230V Through Adapter
WORKING POWER	3.7V
BATTERY	3000mAh
TYPE	3 Step Deeming
SWITCH	Tail Click
REFLECTOR	Aluminum Smooth Reflector
BODY	Rubberized
SIZE	14.6X17.8X8.6
NET WEIGHT	500-600 Grams

UV LIGHT


UV LIGHT

ADVANTAGE:

- Useful in NDT Inspections like Magnetic Particle Inspections, Engine leak detection, Dye Penetrant Testing using fluorescent technique, cleaning purpose for oxygen services.
- Powerful LEDs with a long life span
- The lamp does not generate any UVB or UVC radiation.
- Light Weight, Very handy design, suitable for indoor & outdoor us

OPERATION:

- * BY USING THE SWITCH WE CAN ON &OFF & ADJUST THE LIGHTING ON 3 STEP OF DIMMING ON HIGH , MEDIUM AND LOW MODES
- * PUT THE CHARGE FOR 4 HRS FOR FULL CHARGE THE BATTERY
- * DUTY CYCLE IS FOR USAGE 7-8 HRS CONTINUE USAGE
- * BRACKET IS PROVIDED TO HOLDING THE LIGHT AT DESIRED POSECTIN
- * RUBBER HEAD RING IS PROVIDED TO PREVENT IT FROM DAMAGES FELL FROM HEIGHT



MAKE IN INDIA

Contact us : (+91) 9699188838
info@sktechnologiesndt.com/sktechnologies1309@gmail.com

